



PRODUCT CATALOGUE **2017**

Welcome to the 2017 product catalogue



247Lighting is a leading brand of LED Lighting for the Automotive, Commercial Vehicle and Agricultural Trades. Distributed by Group247, 247Lighting continues to grow from strength to strength throughout Ireland, the UK and Europe. Our regulated and reputable range is both extensive and diverse, developed to meet industry demand. We place great value on **ECE compliance** and on high **IP ratings**, ensuring our products are continually viewed as the best on the market.



Unit 4,
Lakelands Enterprise Centre,
Ballydangan, Athlone,
Co. Roscommon,
N37 H5Y0, Ireland.

IRELAND: 090 9673232

UK: 0121 6474857

INTL: ++353 90 9673232

sales@247lighting.net

www.247lighting.net





247Lighting est une marque leader de l'éclairage LED pour les automobiles, les véhicules commerciaux et les métiers de l'agriculture. Distribué par Group247, 247Lighting continue à se développer de plus en plus forte à travers l'Irlande, le Royaume Unis et l'Europe. Notre vaste gamme de bonne réputation est diversifié et étudié pour satisfaire la demande industrielle. Nous accordons une grande valeur à les normatives CEE et les standards élevées d'IP, en assurant que nos produits sont toujours considérés les meilleurs sur le marché.



247Lighting ist eine führende Marke der LED-Beleuchtung für den Automobil-, Lastkraftwagen- und Agrarhandel. Verteilt durch Group247, 247Lighting entwickelt sich weiterhin prächtig in Irland, Großbritannien und Europa. Unser reguliertes und namhaftes Sortiment ist umfangreich und vielfältig, entwickelt um den strengsten Industriestandards zu entsprechen. Darüber hinaus legen wir auch großen Wert auf die Erfüllung branchenspezifischer ECE-Bedingungen und auf hohen IP-Schutzarten, um sicherzustellen, dass unsere Produkte kontinuierlich als die Besten auf dem Markt angesehen werden.



247Lighting è un insegna leader nel campo dell'illuminazione LED per Auto, Veicoli commerciali e Agricoli. Distribuito dal Gruppo 247, 247Lighting continua a crescere sempre più attraverso Irlanda, Regno Unito ed Europa. La nostra linea di prodotti è vasta e diversificata, studiata per venire incontro a fabbisogni industriali. Noi poniamo grande valore nel rispetto delle normative CEE ed in alti standard IP, assicurandoci che i nostri prodotti siano continuamente visti come i migliori sul mercato.



247Lighting es una marca líder en el sector de la iluminación LED para automóviles, vehículos comerciales y el comercio agrícola. Distribuido por Group247, 247Lighting sigue creciendo con fuerza a través de Irlanda, el Reino Unido y Europa. Nuestra gama de productos, de alta reputación y bien regulada, es extensa, amplia y diversa. Nuestros productos se han desarrollado especialmente para satisfacer los estándares cada vez más exigentes de la industria y para garantizar el cumplimiento de las normas de la industria. Además, damos mucha importancia al cumplimiento de las normas de la Comisión Económica para Europa (CEPE) y los altos grados de protección IP, para asegurar que nuestros productos están considerados como los mejores productos del mercado.



Symbols



European Commission for Europe certifies products in accordance with ECE regulations.



Electromagnetic compatibility certifies products in accordance with EMC requirements.



European commission for Europe approved Regulation 65.



Light Emitting Diode UP to 80% more efficient than standard bulbs.



Super bright Light Emitting Diode.



Denotes the number of LEDs present in the product.



Surface Mount Diode. Mounted light LED chips, consume very little energy & omit bright light.



Xenon is used in lamps that make intense flashes, such as strobe lights.



Chip On Board brighter LED with 30% more efficiency.



Bulb Technology used.



Denotes the number of flash patterns.



The light distribution from this product is 360°.



This product is 180° turnable.



Reversing Camera Kit with Audio features included.



Reversing Camera Kit with Audio features **NOT** included.



Reversing Camera Kit can take up to * (2/4) set number of cameras.



Reversing Camera Kit is using wireless technology.



Remote Control is available with this model of Reversing Camera Kit.



Digital Video Recorder features available with this model.



Monitor is using Touch Screen Technology



This product is fully rechargeable via USB.



This product is rechargeable.

Distributed by

GROUP247

Distribution Services to the Automotive Aftermarket

www.group247.ie

All images in this catalogue are for demonstration purposes and not to be taken as legally binding.
See www.247lighting.net for T&Cs.

Table of Contents

Merchandisers

247 Lighting Stand (1280mm)	07
247 Electrical Stand (1280mm) (New).....	08
247 Combi Stand (1280mm).....	09
247 LED Merchandiser (700mm)	10
247 Electrical Merchandiser (700mm)	10
247 Display Stands	11

Beacons & Lightbars

Standard Rotating Beacons	13
Mini Xenon Beacons	14-15
Mini LED Beacons	14-15
Compact LED Beacons	15-16
Compact Reg 65 Beacons (New)	17-18
Standard LED Beacons	19-20
Beacon Pole Adapters	20
Resistors	20
Standard Beacons Reg 65	21-22
Mini Master Lightbars	23
Mini Master Lightbars Reg 65 (New)	24
Eclipse Lightbars Reg 65	25-26
Rotating Lightbars Reg 65	27

Warning Lights

Directional Lamps	28-30
Daytime Running Lights.....	31

Work Lamps

Mini Work Lamps.....	33-34
4" Work Lamps.....	35-37
5" Work Lamps	38
6" Work Lamps (Improved).....	39-41
Adventure Work Lamps.....	42
Explorer Work Lamps (New)	43

Tail Lamps

Multifunctional Tail Lamps.....	45-54
Marker Lamps (New).....	55-59
Stalk Lamps (New).....	60-63
Number Plate Lamps (New)	64

Trailer Boards

Trailer Boards.....	65
LED Trailer Boards.....	65
Magnetic Trailer Lights	66
LED Magnetic Trailer Lights	66

Interior Lights

Round Interior Lights	68
Interior Lights (New)	69
Rectangular Lights	70
Swivel Lights	71

LED Lead / Flood Lights

LED Lead Lights (New)	72
LED Flood Lights (New).....	73

247 SAFETY..... 75

Reversing Aids

No Audio Reversing Camera Kit	76
Audio Reversing Camera Kit.....	77
Wireless Reversing Camera Kit.....	78
Monitors	79
Warning Devices	80
Mirrors (New)	81-82

247 ELECTRICAL..... 85

Electrical Components

Plugs & Sockets	86-89
Automotive / Starter Cable	90-91
Cable Accessories / Cable Ties	92-93
Wiring Accessories (New).....	94-95
Fuses (New).....	96-97
Fuse Holders (New).....	98
Booster Cable.....	99
Battery Connectors.....	100-101
Electrical Switches (New).....	102-107
Warning Light.....	107

“

Our consideration for branding is what sets us apart from our competitors. We have developed packaging which ensures 247lighting products market themselves.

”

trade packaging

This packaging is suitable for resale into trade customers that can accept larger pack quantities.

blister packaging

Our blister packaging is for the larger electrical items within our range. They are all barcoded and ready for retail display. This packaging is often prefixed by the letters BL. These products are suitable for any of our retail stands.

handy packs

The Handy Packs are for the smaller electrical items within our range. They are all barcoded and ready for retail display. These Products are suitable for our Handy Packs Stand.

display boxes

Many items have their own individual counter display boxes. This maximises the counter display for the retailer, allowing the product to be easily accessible to the customer.



merchandisers

Mechandisers to fit all our customer needs, from small & compact to larger wall displays. In addition to optimising your shop floor space, these stands display the products effectively, highlighting their benefits and features.

All merchandisers fit together creating an impressive display for any shop unit.

The following pages illustrate the various merchandisers now available including our 2 working display models.


247 MERCHANDISER SPECIFICATIONS

CA 9972

Lighting Stand

W128cm x H233cm x D55cm


(Includes working Display Unit)



CA 9920

Electrical Stand

W128cm x H233cm x D55cm




CA 9940

Combi Stand

W128cm x H233cm x D55cm


(Includes working Display Unit)



CA 9916 (Mini Display)

247 Electrical Merchandiser


W70cm x H224cm x D55cm



CA 9914 (Mini Display)

247 LED Merchandiser

W70cm x H224cm x D55cm



Allows for optimisation of space.

Presents products in an appealing and attractive display.

Utilizes working display unit for visual demonstration, highlighting their features and benefits.

Educates the customer about products in an effective and creative way.

Related products are easily located, making it easier for customers to self-select.

1280mm Stand

247 LIGHTING STAND

CA 9972

WORKING
DISPLAY UNIT



2330mm

1280mm

247 MERCHANDISERS

1280mm Stand

247 ELECTRICAL STAND

CA 9920



1280mm

1280mm Stand

247 COMBI STAND
CA 9940

Lighting and Electrical combination.



247 MERCHANDISERS

700mm Stand

**247 LED
MERCHANDISER
CA 9914**

**247 ELECTRICAL
MERCHANDISER
CA 9916**

(Sold Separately)



Display Stands

HANDY PACK DISPLAY STAND

AP 1000

247 MIRROR DISPLAY STAND

CA 9906

EXPLORER WORKLAMPS

AP 9902

REG 65 BEACON DISPLAY

AP 9903

CAMERA DISPLAY STAND

AP 9851



AP 1000



CA 9906

counter display units



CA 9902



CA 9903



CA 9851

CA 9916




Beacons
Lightbars
Warning Lights

ROTATING BEACONS (HALOGEN)

STANDARD

SINGLE BOLT ROTATING


CA 2040C



STANDARD

MAGNETIC ROTATING

CA 2045C




** Rated To 110-120 KPH

** May detach at speeds above those indicated

STANDARD

POLE MOUNT ROTATING

CA 2050C



Product	Voltage	ECE	EMC	IP	Light Source	Lens Material	Base Material	Motor	Watt	Operating Temperature
CA 2040C	12 - 24v	Reg 10 / 65	✓	IP56	H1 Halogen	Polycarbonate	ABS	Belt Driven	55/70W	-30°C - +50°C
CA 2045C	12 - 24v	Reg 10 / 65	✓	IP56	H1 Halogen	Polycarbonate	ABS	Belt Driven	55/70W	-30°C - +50°C
CA 2050C	12 - 24v	Reg 10 / 65	✓	IP56	H1 Halogen	Polycarbonate	ABS	Gear Driven	55/70W	-30°C - +50°C

LED / XENON BEACONS

MINI



TWO BOLT BEACONS (LED)

CA 7505LED



TWO BOLT BEACONS (XENON)

CA 7505



MINI

THREE BOLT BEACONS (LED)


CA 7500LED

THREE BOLT BEACONS (XENON)

CA 7500

Optional Green Lens

CA 7554GR



Product	Voltage	ECE	EMC	IP	LED	Light Source	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 7505LED	12-24v	Reg 10	✓	IP56	25	LED	3	Polycarbonate	ABS	5W	-30°C - +50°C
CA 7505	12-110v	Reg 10	✓	IP56	-	Xenon	1	Polycarbonate	ABS	2.4W	-30°C - +50°C
CA 7500LED	12-24v	Reg 10	✓	IP56	30	LED	3	Polycarbonate	ABS	9W	-30°C - +50°C
CA 7500	12-110v	Reg 10	✓	IP56	-	Xenon	1	Polycarbonate	ABS	2.4W	-30°C - +50°C
CA 7554GR	Green lens suitable for CA 7500LED, CA 7500, CA 7501LED, CA 7501										

MINI

MAGNETIC BEACONS (LED)

CA 7501LED




MAGNETIC BEACONS (XENON)

CA 7501



Optional Green Lens

CA 7554GR




** Rated To 110-120 KPH

** May detach at speeds above those indicated

COMPACT

LED SINGLE BOLT BEACON

CA 6052C




Product	Voltage	ECE	EMC	IP	LED	Light Source	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 7501LED	12-24v	Reg 10	✓	IP56	25	LED	3	Polycarbonate	ABS	9W	-30°C - +50°C
CA 7501	12-24 v	Reg 10	✓	IP56	-	Xenon	1	Polycarbonate	ABS	2.4W	-30°C - +50°C
CA 7554GR	Green lens suitable for CA 7500LED / CA 7500 / CA 7501LED / CA 7501										
CA 6025C	12-24 v	Reg 10	✓	IP56	40	LED	3	Polycarbonate	ABS	8W	-30°C - +50°C

LED BEACONS

COMPACT

LED MAGNETIC BEACON

CA 6053C




** Rated To 110-120 KPH
** May detach at speeds above those indicated

COMPACT

LED POLE MOUNT BEACON

CA 6054C




Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 6053C	12-24v	Reg 10	✓	IP56	40	3	Polycarbonate	ABS	8W	-30°C - +50°C
CA 6054C	12-24v	Reg 10	✓	IP56	40	3	Polycarbonate	ABS	8W	-30°C - +50°C +50°C

COMPACT

LED SINGLE BOLT BEACON


CA 7062



COMPACT

LED THREE BOLT BEACON

CA 7065




Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Watts	Operating Temperature
CA 7062	12-24v	Reg 10 / 65	✓	IP56	12	1	Polycarbonate	ABS	36W	-20°C - +50°C
CA 7065	12-24v	Reg 10 / 65	✓	IP56	12	1	Polycarbonate	ABS	36W	-20°C - +50°C

REG 65 LED BEACONS

COMPACT

LED MAGNETIC BEACON

CA 7063




** Rated To 110-120 KPH
** May detach at speeds above those indicated

COMPACT

LEDPOLE MOUNT BEACON

CA 7064




Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Watts	Operating Temperature
CA 7063	12-24v	Reg 10 / 65	✓	IP56	12	1	Polycarbonate	ABS	36W	-20°C - +50°C
CA 7064	12-24v	Reg 10 / 65	✓	IP56	12	1	Polycarbonate	ABS	36W	-20°C - +50°C

STANDARD

LED SINGLE BOLT BEACON


CA 6056C



STANDARD

LED THREE BOLT BEACON


CA 6055C



STANDARD

LED MAGNETIC BEACON

CA 6057C



** Rated To 110-120 KPH

** May detach at speeds above those indicated


Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Watts	Operating Temperature
CA 6056C	12 - 24v	Reg 10	✓	IP56	80	3	Polycarbonate	ABS	18W	-30°C - +50°C
CA 6055C	12 - 24v	Reg 10	✓	IP56	80	3	Polycarbonate	ABS	18W	-30°C - +50°C
CA 6057C	12 - 24v	Reg 10	✓	IP56	80	3	Polycarbonate	ABS	18W	-30°C - +50°C

LED BEACONS

STANDARD

LED POLE MOUNT BEACON


CA 6058C



Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 6058C	12 - 24v	Reg 10	✓	IP56	40	3	Polycarbonate	ABS	8W	-30°C - +50°C

Beacon Pole Adaptors | Resistors

Fixing Brackets




Product	Fixing	Profile	Type
CA 6600A	2 Bolt	T' Type	Fixed
CA 6601A	1 Bolt	L' Type	Collapsible

Product	Fixing	Profile	Type
CA 6602A	2 Bolt	L' Type	Fixed
CA 6603A	Screw-In	T' Type	Fixed w/Thread
CA 6604A	Spring loaded	L' Type	Fixed w/Thread

Resistors


Product	Fixing	Profile	Type
CA 6061	12v	50w	20*50mm
CA 6062	24v	50w	20*50mm



REG 65

SINGLE BOLT BEACON


CA 7052



REG 65

THREE BOLT BEACON

CA 7051




Product	Voltage	ECE	EMC	IP	SMD	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 7052	10 / 30v	Reg 10 / 65	-	IP67	32 Amber	5	Polycarbonate	ABS	Average: 16w Peak: 28w	-40°C - +65°C
CA 7051	10 / 30v	Reg 10 / 65	-	IP67	32 Amber	5	Polycarbonate	ABS	Average: 16w Peak: 28w	-40°C - +65°C

BEACONS SMD REG 65

REG 65

MAGNETIC BEACON

CA 7053




** Rated To 65 KPH
** May detach at speeds above those indicated

REG 65

POLE BEACON

CA 7054



Product	Voltage	ECE	EMC	IP	SMD	Flash Patterns	Lens Material	Base Material	Watt	Operating Temperature
CA 7053	10 / 30v	Reg 10 / 65	-	IP67	32 Amber	5	Polycarbonate	ABS	Average: 16w Peak: 28w	-40°C - +65°C
CA 7054	10 / 30v	Reg 10 / 65	-	IP67	32 Amber	1	Polycarbonate	ABS	Average: 16w Peak: 28w	-40°C - +65°C

STANDARD

LED MINI MASTER (BOLT - ON)

CA 7626C




LED MINI MASTER (MAGNETIC)

CA 7627C



** Rated To 110 - 120 KPH

** May detach at speeds above those indicated



** SEE EXTRAS / REPLACEMENTS AVAILABLE FOR THESE PRODUCTS - NEXT PAGE.



Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 7626C	12 - 24v	Reg 10	✓	IP65	20	10	Polycarbonate	ABS	Bolt-On	20 Watt Peak	-30°C - +50°C
CA 7627C	12 - 24v	Reg 10	✓	IP65	20	10	Polycarbonate	ABS	Magnetic	20 Watt Peak	-30°C - +50°C

LED LIGHTBARS REG 65

REG 65


LED MINI MASTER (BOLT - ON)
CA 7634



LED MINI MASTER (MAGNETIC)
CA 7635



** Rated To 110 - 120 KPH
** May detach at speeds above those indicated



EXTRAS

Replacement Cigarette Plug (no switch / no cable)

CA 317 Suitable for CA 7627C / CA 7635 / CA 6057C / CA 2045C / CA 7501LED / CA 7501 / CA 6053C



Replacement Cigarette Plug (no switch / no cable)

BLCA 319*



Illuminated Cigarette Plug & Socket (fits 28mm)

EP 770

Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 7634	12 - 24v	Reg 10/65 Single Flash	✓	IP65	20	10	Polycarbonate	ABS	Bolt-On	60 Watt Peak	-30°C - +50°C
CA 7635	12 - 24v	Reg 10/65 Single Flash	✓	IP65	20	10	Polycarbonate	ABS	Magnetic	60 Watt Peak	-30°C - +50°C

*This item is Blister Packed & barcoded ready for resale. To purchase this item in bulk without packaging please use the same part no. without the "BL" prefix.

REG 65



16" LED ECLIPSE

CA 7632B

Bolt Fixing Only / Magnetic Kit Available



(This picture indicates the Lightbar is switched on.)



Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 7632B	12 - 24v	Reg 10/65	✓	IP67	56 Amber	10	Polycarbonate Clear	ABS	Bolt - On	Average: 13w Peak: 50w	-20°C - +50°C
CA 7632MAG	4 Pod Magnetic Kit for CA 7632B / 95MPH										
CA 314	Replacement cigarette lighter plug comes with 2.5Metre Cable										

LED LIGHTBARS REG 65

REG 65


27" LED ECLIPSE

CA 7630



STANDING LEGS

CA 7629




REG 65

46" LED ECLIPSE

CA 7628

STANDING LEGS

CA 7629





Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 7630	12 - 24v	Reg 10 / 65	✓	IP67	100	10 Amber	Polycarbonate Clear	ABS	Bolt Bracket	79w	-20°C - +50°C
CA 7628	12 - 24v	Reg 10 / 65	✓	IP67	164	10 Amber	Polycarbonate Clear	ABS	Bolt Bracket	127w	-20°C - +50°C
CA 7629	Extra standing legs / set of two										
CA 314	Replacement cigarette lighter plug comes with 2.5 metre cable										

NEW

16" COMPACT ROTATING LIGHTBAR


CA 6005



NEW

36" ROTATING LIGHTBAR


CA 6008



NEW

48" ROTATING LIGHTBAR

CA 6012



Product	Voltage	ECE	EMC	IP	Bulb	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 6005	12 - 24v	Reg 65	-	IP56	Amber	-	Polycarbonate	-	Bolt - On	-	-30°C - +50°C
CA 6008	12 - 24v	Reg 10/65	✓	-	Amber/White	-	Polycarbonate	-	Bolt - On	-	-30°C - +50°C
CA 6012	12 - 24v	Reg 10/65	✓	-	Amber/White	-	Polycarbonate	-	Bolt - On	-	-30°C - +50°C

WARNING LIGHTS

LED

NEW

LED DIRECTIONAL LIGHT (AMBER / REG 65)

CA 6082




LED DIRECTIONAL LIGHT (RED / REG 10)

CA 6082R

LED DIRECTIONAL LIGHT (WHITE / REG 10)

CA 6082W



LED

NEW

LED DIRECTIONAL LIGHT (AMBER / REG 65)

CA 6084




LED DIRECTIONAL LIGHT (RED / REG 10)

CA 6084R

LED DIRECTIONAL LIGHT (WHITE / REG 10)

CA 6084W




Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 6082	10 - 30v	Reg 10 / 65	✓	IP67	3 Amber	9	Polycarbonate	Polycarbonate	Surface Mount	9W	-45°C - +65°C
CA 6082R	10 - 30v	Reg 10	✓	IP67	3 Red	9	Polycarbonate	Polycarbonate	Surface Mount	9W	-45°C - +65°C
CA 6082W	10 - 30v	Reg 10	✓	IP67	3 White	9	Polycarbonate	Polycarbonate	Surface Mount	9W	-45°C - +65°C
CA 6084	10-30v	Reg 10 / 65	✓	IP67	6 Amber	10	Polycarbonate	Die Cast Alum	Bolt-On	18w	-40°C - +65°C
CA 6084R	10-30v	Reg 10	✓	IP67	6 Red	10	Polycarbonate	Die Cast Alum	Bolt-On	18w	-40°C - +65°C
CA 6084W	10-30v	Reg 10	✓	IP67	6 White	10	Polycarbonate	Die Cast Alum	Bolt-On	18w	-40°C - +65°C

LED

OVAL DIRECTIONAL LAMP (AMBER / REG 65)

CA 5711

Bracket Fixing



LED

LED DIRECTIONAL LIGHT (AMBER)



CA 6079

LED DIRECTIONAL LIGHT (WHITE)

CA 6079R

LED DIRECTIONAL LIGHT (RED)

CA 6079W



Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 5711	12-24v	Reg 10 / 65	✓	IP67	3	6	Polycarbonate	Die Cast Alum.	Bracket Mount	9w	-40°C - +65°C
CA 6079	12-24v	Reg 10	✓	IP67	12	18	Polycarbonate	ABS	Bolt-On	6W	-30°C - +65°C
CA 6079R	12-24v	Reg 10	✓	IP67	12	18	Polycarbonate	ABS	Bolt-On	6W	-30°C - +65°C
CA 6079W	12-24v	Reg 10	✓	IP67	12	18	Polycarbonate	ABS	Bolt-On	6W	-30°C - +65°C

WARNING LIGHTS

LED

LED DIRECTIONAL LIGHT (AMBER / REG 65)

CA 6087





LED DIRECTIONAL LIGHT (WHITE / REG 10)

CA 6087W

LED DIRECTIONAL LIGHT (RED / REG 10)

CA 6087R






LED

LED DIRECTIONAL LAMP (AMBER / REG 65)

CA 6083

Bracket Fixing



Product	Voltage	ECE	EMC	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 6087	12 - 24v	Reg 10 / 65	✓	IP67	3 Amber	10	Polycarbonate	ABS	Bolt-On	9W	-40°C - +70°C
CA 6087W	12 - 24v	Reg 10	✓	IP67	3 White	10	Polycarbonate	ABS	Bolt-On	9W	-40°C - +70°C
CA 6087R	12 - 24v	Reg 10	✓	IP67	3 Red	10	Polycarbonate	ABS	Bolt-On	9W	-40°C - +70°C
CA 6083	12 - 24v	Reg 10 / 65	✓	IP67	6 Amber	10	Polycarbonate	Die Cast Alum	Bracket	18W	-40°C - +65°C

SMD

SMD DAYTIME RUNNING LAMP



CA 5713

Single Blister Pack

SMD DAYTIME RUNNING LAMP

CA 5713-2

Twin Blister Pack






LED

LED DAYTIME RUNNING LAMP

CA 5715

Twin Blister Pack




Product	Voltage	ECE	IP	LED	Flash Patterns	Lens Material	Base Material	Base Fixing	Watt	Operating Temperature
CA 5713	10-30v	Reg 87	IP67	8 White	-	Polycarbonate	Polycarbonate	Bracket Mount	4w	-40°C - +65°C
CA 5715	12-28v	Reg 87	IP67	3 White	-	Polycarbonate	Aluminium	S/Steel Bracket	6w	-40°C - +65°C



Work Lamps


LED

MINI TRI WORKLAMP CA 5730



LED

OVAL MINI WORKLAMP CA 5732




Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5730	10-30v	Reg 10	✓	IP67	750	3	Polycarbonate	Aluminium	Bracket Mount	9W	-40°C - +60°C
CA 5732	10-30v	Reg 10	✓	IP67	750	3	Polycarbonate	Aluminium	Bracket Mount	9W	-40°C - +60°C

LED WORK LAMPS


LED

ROUND MINI WORKLAMP CA 5734



LED

3" ROUND WORKLAMP CA 5703




Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5734	10 - 30v	Reg 10	✓	IP67	750	3	Polycarbonate	Aluminium	Bracket Mount	9W	-40°C - +60°C
CA 5703	12 - 24v	Reg 10	✓	IP67	1350	6	Acrylic	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C


LED

4" MAGNETIC WORKLAMP**CA 5707**

9 Metre Cable



LED

4" ROUND WORKLAMP**CA 5706**

Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5707	12 - 28v	Reg 10	✓	IP67	1350	6	Acrylic	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C
CA 5706	12 - 28v	Reg 10	✓	IP67	1350	6	Acrylic	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C

LED WORK LAMPS

LED

4" HIGH POWER WORKLAMP


CA 5714

3200 Lumens / 12 - 28v

4" HIGH POWER WORKLAMP

CA 5710


3080 Lumens / 12 - 48v



LED

4" POWER WORKLAMP

CA 5709




Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watts	Operating Temperature
CA 5714	12 - 28v	Reg 10	✓	IP67	3200	16	Acrylic	Aluminium	Stainless Steel Bracket Mount	48W	-40°C - +40°C
CA 5710	12 - 48v	-	✓	IP67	3080	16	Acrylic	Aluminium	Stainless Steel Bracket Mount	48W	-40°C - +40°C
CA 5709	12 - 28v	-	✓	IP67	2025	9	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	27W	-40°C - +50°C

LED

4" SQUARE WORKLAMP


CA 5702



LED

4" SQUARE WORKLAMP

CA 5770



Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5702	12 - 28v	Reg 10	✓	IP67	1050	5	Acrylic	Aluminium	Stainless Steel Bracket Mount	15W	-40°C - +50°C
CA 5770	12 - 28v	-	✓	IP67	1200	9	Acrylic	Aluminium	Stainless Steel Bracket Mount	15W	-40°C - +50°C


LED WORK LAMPS

LED

5" RUBBER ROUND LAMP

CA 6120


Black



LED

5" RECTANGULAR WORKLAMP


CA 5708



Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 6120	12 - 28v	-	✓	IP65	366	54	Polycarbonate	Black Rubber	Stainless Steel Bracket Mount	5W	-20°C - +40°C
CA 5708	12 - 28v	Reg 10	✓	IP67	1350	6	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C

LED



6" REGTANGULAR WORKLAMP CA 5705



LED

6" ADJUSTABLE WORKLAMP CA 5716

Standard & side Mount Options / Swivel Function




Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5705	12 - 24v	Reg 10	✓	IP67	1350	6	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C
CA 5716	12 - 28v	-	✓	IP67	1680	8	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	24W	-40°C - +50°C

LED WORK LAMPS


LED

6" WORKLAMP WITH SWITCH CA 5712



LED

6" OVAL WORKLAMP CA 5704





Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5712	12 - 28v	-	✓	IP67	1350	12	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	12W	-40°C - +50°C
CA 5704	12 - 28v	Reg 10	✓	IP67	1350	6	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	18W	-40°C - +50°C

LED

6" OVAL WORKLAMP

CA 5722



Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 5722	12 - 28v	-	✓	IP67	1800	8	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	24W	-40°C - +50°C




LED WORK LAMPS

LED

ADVENTURE WORKLAMP CA 6114


LED
12 EMC



LED

ADVENTURE WORKLAMP CA 6123

LED
18 EMC




Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 6114	12 - 24v	-	✓	IP67	2700	12	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	36W	-20°C - +40°C
CA 6123	12 - 24v	-	✓	IP67	4050	18	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	54W	-20°C - +40°C

CREE LED

4" EXPLORER WORKLAMP

CA 6160

CREE TECHNOLOGY




CREE LED

6" EXPLORER WORKLAMP

CA 6170

CREE TECHNOLOGY



Product	Voltage	ECE	EMC	IP	Lumens	LEDs	Lens Material	Lamp Housing	Fixing	Watt	Operating Temperature
CA 6160	9 - 32v	-	✓	IP68	5000	7 CREE	Polycarbonate	Aluminium	Stainless Steel Bracket Mount	35W	-40°C - +50°C
CA 6170	9 - 32v	-	✓	IP68	11000	7 CREE	Polycarbonate	Aluminium	Bracket Mount	70W	-40°C - +50°C





Tail Lamps
Marker Lamps
Stalk Lamps

LED

4" MULTIFUNCTIONAL TAIL LAMP



CA 7093



LED

6" MULTIFUNCTIONAL TAIL LAMP

CA 7058




Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7093	✓	✓	✓	-	-	✓	✓
CA 7058	✓	✓	✓	-	-	✓	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7093	12-24v	Reg 3 / 4 / 6 / 7	IP67	Polycarbonate	ABS	Bolt or Screw Mounting	-40°C - +65°C
CA 7058	12v	Reg 3 / 6 / 7	IP65	Acrylic	ABS	Bolt Mounting	-40°C - +65°C

LED TAIL LAMPS


LED

4" FRONT POSITION / INDICATOR LAMP CA 7094



LED

4" FOG / REVERSE LAMP CA 7095



Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	FRONT POSITION
CA 7094	-	-	✓	-	-	✓	✓
CA 7095	-	-	-	✓	✓	✓	-



Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7094	12-24v	Reg 3 / 6 / 7 / 10	IP67	Polycarbonate	ABS	Bolt or Screw Mounting	-40°C - +65°C
CA 7095	12-24v	Reg 3 / 10 / 23 / 38	IP65	Polycarbonate	ABS	Bolt or Screw Mounting	-40°C - +65°C

LED

MULTIFUNCTIONAL TAIL LAMP

CA 7060


TWIN PACK



LED

MULTIFUNCTIONAL TAIL LAMP

CA 7069



Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7060	✓	✓	✓	-	-	✓	-
CA 7069	✓	✓	✓	-	-	✓	-



Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7060	12v	Reg 3 / 6 / 7	IP66	Acrylic	ABS	Bolt Mounting	-40°C - +65°C
CA 7069	12-24v	Reg 3 / 6 / 7	IP67	Polycarbonate	ABS	Bolt Mounting	-40°C - +65°C

LED TAIL LAMPS

LED

MULTIFUNCTIONAL TAIL LAMP

CA 7099





LED

NEW

MULTIFUNCTIONAL TAIL LAMP

CA 7098



Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7099	✓	✓	✓	✓	-	✓	-
CA 7098	✓	✓	✓	✓	✓	✓	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7099	12-24v	Reg 3 / 6 / 7 / 23	IP67	Polycarbonate	ABS Housing	Bolt Mounting	-40°C - +65°C
CA 7098	12-24v	Reg 3 / 6 / 7 / 23 / 38	IP67	Polycarbonate	ABS Housing	Bolt Mounting	-40°C - +65°C


LED TAIL LAMPS (miniature)

LED

NEW

MULTIFUNCTIONAL TAIL LAMP

CA 7092




LED

NEW

FOG / REVERSE LAMP

CA 7096



Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7092	✓	✓	✓	-	-	-	-
CA 7096	-	-	-	✓	✓	-	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7092	10-30v	Reg 6 / 7 / 10	IP67	PMMA	ABS	Bolt Mounting	-45°C - +65°C
CA 7096	10-30v	Reg 10 / 23 / 38	IP67	Polycarbonate	Polycarbonate	Bolt Mounting	-45°C - +65°C

LED TAIL LAMPS

LED


MULTIFUNCTIONAL TAIL LAMP

CA 7035

LEFT

CA 7036

RIGHT



CA 7035



CA 7036

LED


MULTIFUNCTIONAL TAIL LAMP

CA 7105L

LEFT

CA 7105R

RIGHT



CA 7105L

CA 7105R


Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7035	✓	✓	✓	✓	✓	✓	-
CA 7036	✓	✓	✓	✓	✓	✓	-
CA 7105L	✓	✓	✓	✓	-	✓	-
CA 7105R	✓	✓	✓	-	✓	✓	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7035	12-24v	Reg 3 / 6 / 7 / 38 / 23	IP67	Polycarbonate	ABS Housing	Bolt or Screw Mounting	-40°C - +65°C
CA 7036	12-24v	Reg 3 / 6 / 7 / 23 / 38	IP67	Polycarbonate	ABS Housing	Bolt or Screw Mounting	-40°C - +65°C
CA 7105L	12-30v	Reg 3 / 6 / 7 / 23	IP67	PMMA	ABS Housing	Bolt Mounting	-45°C - +70°C
CA 7105R	12-30v	Reg 3 / 6 / 7 / 38	IP67	PMMA	ABS Housing	Bolt Mounting	-45°C - +70°C

LED

MULTIFUNCTIONAL TAIL LAMP

CA 7008



LED



MULTIFUNCTIONAL TAIL LAMP

CA 9008


MULTIFUNCTIONAL TAIL LAMP

CA 9009

No Base



CA 9008



CA 9009



Product	STOP	TAIL	D.I.	REVERSE	FOG	REFLECTOR	NUMBER PLATE
CA 7008	✓	✓	✓	-	-	-	-
CA 9008	✓	✓	✓	-	-	-	-
CA 9009	✓	✓	✓	-	-	-	-


Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7008	10-30v	Reg 6 / 7	IP67	Polycarbonate	ABS	Solid Steel Screws	-40°C - +65°C
CA 9008	6-30v	Reg 6 / 7	IP67	Polycarbonate	ABS	Bolt Mounting	-40°C - +65°C
CA 9009	6-30v	Reg 6 / 7	IP67	Polycarbonate	ABS	Bolt Mounting	-40°C - +65°C

LED TAIL LAMPS

LED

MULTIFUNCTIONAL FOG / REVERSE


CA 7009



LED

5.5" MULTIFUNCTIONAL FRONT POSITION / INDICATOR

CA 7010



Product	STOP	TAIL	D.I.	REVERSE	FOG	FRONT POSITION	NUMBER PLATE
CA 7009	-	-	-	✓	✓	-	-
CA 7010	-	-	✓	-	-	✓	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7009	12-24v	Reg 23/ 38	IP67	Polycarbonate	ABS	Bolt Mounting	-40°C - +65°C
CA 7010	12-24v	Reg 6 / 7	IP67	Polycarbonate	ABS	Bolt Mounting	-40°C - +65°C


NEW

FOG LAMP

CA 7103

ECE

LED




NEW

REVERSE LAMP

CA 7102

ECE

LED




Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7103	12v	Reg 38	IP67	PMMA	ABS Housing	Bolt Mounting	-45°C - +70°C
CA 7102	12V	Reg 23	IP67	PMMA	ABS Housing	Bolt Mounting	-45°C - +70°C

LED TAIL LAMPS

LED

MULTIFUNCTIONAL TAIL LAMP

CA 7070



Product	STOP	TAIL	D.I.	REVERSE	FOG	FRONT POSITION	NUMBER PLATE
CA 7070	✓	✓	✓	✓	-	-	-

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7070	10 - 30v	Reg 3 / 7 / 23	IP67	Polycarbonate	ABS Housing	Bolt Mounting	-40°C - +65°C



SMD

MARKER LAMPS (AMBER)


CA 6092A

MARKER LAMPS (RED)

CA 6092R

MARKER LAMPS (WHITE)

CA 6092W



LED

MARKER LAMPS (AMBER)


CA 6090A

MARKER LAMPS (RED)

CA 6090R

MARKER LAMPS (WHITE)

CA 6090W



Product	Voltage	ECE	IP	LEDs	Lens Material	Base Material	Fixing	Operating Temperature
CA 6092A	12-24v	Reg 91	IP67	2	PMMA	ABS	Bracket Mount	-40°C - +65°C
CA 6092R	12-24v	Reg 7	IP67	2	PMMA	ABS	Bracket Mount	-40°C - +65°C
CA 6092W	12-24v	Reg 7	IP67	2	PMMA	ABS	Bracket Mount	-40°C - +65°C
CA 6090A	10-30v	Reg 91	IP65	3	PMMA	ABS	Flush / Bracket Mount	-40°C - +85°C
CA 6090R	10-30v	Reg 7	IP65	3	PMMA	ABS	Flush / Bracket Mount	-40°C - +85°C
CA 6090W	10-30v	Reg 7	IP65	3	PMMA	ABS	Flush / Bracket Mount	-40°C - +85°C

LED MARKER LAMPS

LED

MARKER LAMPS (AMBER)


CA 9350

MARKER LAMPS (RED)

CA 9350R

MARKER LAMPS (WHITE)

CA 9350W



LED

MARKER LAMPS (AMBER)


CA 6095A

MARKER LAMPS (RED)

CA 6095R

MARKER LAMPS (WHITE)

CA 6095W



Product	Voltage	ECE	IP	LEDs	Lens Material	Base Material	Fixing	Operating Temperature
CA 9350	12-24v	Reg 3 / 91	IP67	3	Polycarbonate	ABS Housing	Bracket Mount	-40°C - +65°C
CA 9350R	12-24v	Reg 3 / 7	IP67	3	Polycarbonate	ABS Housing	Bracket Mount	-40°C - +65°C
CA 9350W	12-24v	Reg 3 / 7	IP67	3	Polycarbonate	ABS Housing	Bracket Mount	-40°C - +65°C
CA 6095A	12-30V	Reg 91	IP66	2	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C
CA 6095R	12-30V	Reg 7	IP66	2	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C
CA 6095W	12-30V	Reg 7	IP66	2	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C

SMD

MARKER LAMPS (AMBER)


CA 7087A

MARKER LAMPS (RED)

CA 7087R

MARKER LAMPS (WHITE)

CA 7087W



SMD

MARKER LAMPS (AMBER)


CA 7088A

MARKER LAMPS (RED)

CA 7088R

MARKER LAMPS (WHITE)

CA 7088W



Product	Voltage	ECE	IP	LEDs	Lens Material	Base Material	Fixing	Operating Temperature
CA 7087A	12-24v	Reg 3 / 91	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7087R	12-24v	Reg 3 / 7	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7087W	12-24v	Reg 3 / 7	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7088A	12-24v	Reg 91	IP68	4	PMMA	PVC	Surface Mount	-30°C - +50°C
CA 7088R	12-24v	Reg 7	IP68	4	PMMA	PVC	Surface Mount	-30°C - +50°C
CA 7088W	12-24v	Reg 7	IP68	4	PMMA	PVC	Surface Mount	-30°C - +50°C

LED MARKER LAMPS

SMD

MARKER LAMPS (AMBER)


CA 9300A

MARKER LAMPS (RED)

CA 9300R

MARKER LAMPS (WHITE)

CA 9300W



NEW

MARKER LAMPS (AMBER)


CA 7090A

MARKER LAMPS (RED)

CA 7090R

MARKER LAMPS (WHITE)

CA 7090W



Product	Voltage	ECE	IP	LEDs	Lens Material	Base Material	Fixing	Operating Temperature
CA 9300A	12-24v	Reg 3 / 91	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 9300R	12-24v	Reg 3 / 7	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 9300W	12-24v	Reg 3 / 7	IP68	3	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7090A	12-24v	Reg 3 / 10 / 91	IP67	5	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7090R	12-24v	Reg 3 / 7 / 10	IP67	5	PMMA	ABS	Surface Mount	-30°C - +50°C
CA 7090W	12-24v	Reg 3 / 7 / 10	IP67	5	PMMA	ABS	Surface Mount	-30°C - +50°C

LED

MARKER LAMPS (AMBER)


CA 6091A

MARKER LAMPS (RED)

CA 6091R

MARKER LAMPS (WHITE)


CA 6091W



LED

RUBBER MARKER LAMP

CA 9711




Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 6091A	10-30V	Reg 91	IP67	PMMA	-	Surface Mount	-40°C - +65°C
CA 6091R	10-30V	Reg 7	IP67	PMMA	-	Surface Mount	-40°C - +65°C
CA 6091W	10-30V	Reg 7	IP67	PMMA	-	Surface Mount	-40°C - +65°C
CA 9711	12-24V	Red Reg 7 / Clear Reg 7	IP67	PMMA	EPDM	Surface Mount	-40°C - +65°C

LED STALK LAMPS

LED

STALK LAMP CA 9713




LED

STALK LAMP CA 6198v

45° / LEFT

STALK LAMP CA 6199v

45° / RIGHT



Product	FRONT (White)	REAR (Red)	SIDE (Amber)	POSITION	ANGLE
CA 9713	✓	✓	-	-	-
CA 6198V	✓	✓	✓	Left	45°
CA 6199V	✓	✓	✓	Right	45°

Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 9713	12-24V	Red Reg 7 / Clear Reg 7	IP68	PMMA	PVC	Surface Mount	-30°C - +50°C
CA 6198V	12-24V	Reg 7 / 91	IP68	Polycarbonate	PVC	Vertical Mounting	-30°C - +50°C
CA 6199V	12-24V	Reg 7 / 91	IP68	Polycarbonate	PVC	Vertical Mounting	-30°C - +50°C

LED

STALK LAMP


CA 6296

60° / LEFT

STALK LAMP

CA 6297

60° / RIGHT



LED

STALK LAMP


CA 6298

90° / LEFT

STALK LAMP

CA 6299

90° / RIGHT



Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 6296	12-24v	Red Reg 7 / Clear Reg 7	IP66	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C
CA 6297	12-24v	Red Reg 7 / Clear Reg 7	IP66	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C
CA 6298	12-24v	Red Reg 7 / Clear Reg 7	IP66	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C
CA 6299	12-24v	Red Reg 7 / Clear Reg 7	IP66	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C

LED STALK LAMPS

LED

STALK LAMP


CA 6096

60° / LEFT

STALK LAMP

CA 6097

60° / RIGHT



EPDM RUBBER HOUSING



LED

STALK LAMP


CA 6196

90° / LEFT

STALK LAMP

CA 6197

90° / RIGHT



EPDM RUBBER HOUSING



Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 6096	12-24V	Red Reg 7 / Clear Reg 7	IP67	PMMA	EPDM Rubber Arm	Surface Mount	-40°C - +65°C
CA 6097	12-24V	Red Reg 7 / Clear Reg 7	IP67	PMMA	EPDM Rubber Arm	Surface Mount	-40°C - +65°C
CA 6196	12-24V	Red Reg 7 / Clear Reg 7	IP67	PMMA	EPDM Rubber Arm	Surface Mount	-40°C - +65°C
CA 6197	12-24V	Red Reg 7 / Clear Reg 7	IP67	PMMA	EPDM Rubber Arm	Surface Mount	-40°C - +65°C

LED

STALK LAMP

CA 6193V


45° / LEFT

EPDM RUBBER HOUSING VERTICAL MOUNT

STALK LAMP

CA 6194V

45° / RIGHT



LED

STALK LAMP

CA 6193


45° / LEFT

EPDM RUBBER HOUSING HORIZONTAL MOUNT

STALK LAMP

CA 6194

45° / RIGHT



Product	FRONT (White)	REAR (Red)	SIDE (Amber)	POSITION	ANGLE
CA 6193V	✓	✓	✓	Left	45°
CA 6194V	✓	✓	✓	Right	45°
CA 6193	✓	✓	✓	Left	45°
CA 6194	✓	✓	✓	Right	45°


Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 6193V	12-24V	Reg 7 / 91	IP67	PMMA	EPDM Rubber Arm	Vertical Mounting	-40°C - +65°C
CA 6194V	12-24V	Reg 7 / 91	IP67	PMMA	EPDM Rubber Arm	Vertical Mounting	-40°C - +65°C
CA 6193	12-24V	Reg 7 / 91	IP67	PMMA	EPDM Rubber Arm	Horizontal Mounting	-40°C - +65°C
CA 6194	12-24V	Reg 7 / 91	IP67	PMMA	EPDM Rubber Arm	Horizontal Mounting	-40°C - +65°C

LED NUMBERPLATE LAMPS

LED

NUMBERPLATE LAMP


CA 7086



LED

NUMBERPLATE LAMP

CA 7085



Product	Voltage	ECE	IP	Lens Material	Base Material	Fixing	Operating Temperature
CA 7086	12-24v	Reg 4	IP68	PMMA	PC & ABS Housing	Surface Mount	-30°C - +50°C
CA 7085	10-30v	Reg 4	IP67	Polycarbonate	ABS Housing	Surface Mount	-40°C - +65°C

BULB

NEW

TRAILER BOARDS WITH FOG LIGHTS

CA 9500

4ft Length / 7 Metre Cable


CA 9502

4ft Length / 12 Metre Cable

CA 9501

5ft Length / 12 Metre Cable

BULB



LED

NEW

LED TRAILER BOARDS WITH FOG LIGHTS

CA 9504

4ft Length / 7 Metre Cable

CA 9507

5ft Length / 12 Metre Cable

CA 9505

4ft Length / 12 Metre Cable

LED



Product	Reflector	Stop	Tail	Indicator	Fog
All Trailer Boards	✓	✓	✓	✓	✓

Product	Voltage	ECE	IP Rated	Fog Light	Source	Lens Material Length	Board Connection	Power Length	Cable Material	Board
CA 9500	12v	Reg 3/4/6/7/38	IP67	✓	Bulb	Acrylic	PVC	7 Pin	7 Metre	4 ft
CA 9502	12v	Reg 3/4/6/7/38	IP67	✓	Bulb	Acrylic	PVC	7 Pin	12 Metre	4 ft
CA 9501	12v	Reg 3/4/6/7/38	IP67	✓	Bulb	Acrylic	PVC	7 Pin	12 Metre	5 ft
CA 9504	12v	Reg 3/4/6/7/38	IP67	✓	LED	Acrylic	PVC	7 Pin	7 Metre	4 ft
CA 9507	12v	Reg 3/4/6/7/38	IP67	✓	LED	Acrylic	PVC	7 Pin	12 Metre	5 ft
CA 9505	12v	Reg 3/4/6/7/38	IP67	✓	LED	Acrylic	PVC	7 Pin	12 Metre	4 ft

TRAILER LIGHTS

BULB

NEW

MAGNETIC TRAILER LIGHTS

CA 9550

7.5 Metre Cable

CA 9550L

Lens for: CA 9550, CA 9500, CA 9501, CA 9502, CA 9509.

CA 9200

Module for: CA 9550, CA 9500, CA 9501, CA 9502, CA 9509.

BULB



LED

NEW

LED MAGNETIC TRAILER LIGHTS

CA 9553

7.5 Metre Cable

CA 9554

12 Metre Cable

LED



Product	Reflector	Stop	Tail	Indicator	Fog
CA 9550	-	✓	✓	✓	-
CA 9553	✓	✓	✓	✓	-
CA 9554	✓	✓	✓	✓	-

Product	Voltage	ECE	IP Rated	Source Connection	Lens Material	Power	Cable Length
CA 9550	12v	Reg 4 / 6 / 7	IP67	Bulb	Acrylic	7 Pin	7.5 Metre 2.5m between Lamps
CA 9553	12v	Reg 3 / 4 / 6 / 7	IP67	LED	Acrylic	7 Pin	7.5 Metre 2.5m between Lamps
CA 9554	12v	Reg 3 / 4 / 6 / 7	IP67	LED	Acrylic	7 Pin	12 Metre 2.5m between Lamps



Interior Lights
Lead Lights
Flood Lights

INTERIOR LIGHTS


LED

4" ROUND INTERIOR LIGHT

CA 6151

400mm Cable

LED




LED

6" ROUND INTERIOR LIGHT (C/W SWITCH)

CA 6150

400mm Cable

LED




Product	Voltage	LEDs	Lumens	Housing	Lens Material	Fixing	Watts	Switch
CA 6151	12-28v	3	330	ABS	Polycarbonate	Surface Mount	3	-
CA 6150	12-28v	6	660	ABS	Polycarbonate	Surface Mount	6	On / Off / Door

SMD

NEW

INTERIOR LIGHT (266mm)

CA 7079




SMD

NEW

INTERIOR LIGHT (570mm)

CA 7080





Product	Voltage	LEDs	Lumens	Lens Material	Lamp Material	Fixing	Watt	On/Off Switch
CA 7079	12-24v	18	380	Acrylic	Aluminium	S/Steel Fixings	3	✓
CA 7080	12-24v	45	900	Acrylic	Aluminium	S/Steel Fixings	6	✓

INTERIOR LIGHTS

SMD

INTERIOR LIGHT (262mm)



CA 7078



SMD

INTERIOR LIGHT (452mm)

CA 7077




Product	Voltage	LEDs	Lumens	Lens Material	Lamp Material	Fixing	Watt	On / Off Switch
CA 7078	12-24v	48 SMD	960	Acrylic	Aluminium	Surface Mount	7.7	✓
CA 7077	12-24v	96 SMD	1920	Acrylic	Aluminium	Surface Mount	15.3	✓

LED

INTERIOR SWIVEL LIGHT (225mm)

CA 6078


400mm Cable



INTERIOR SWIVEL LIGHT (470mm)

CA 6077

400mm Cable





LED

INTERIOR SWIVEL LIGHT (327mm)

CA 6075

400mm Cable



ROBUST DESIGN & HOUSING

Product	Voltage	LEDs	Lumens	Lens Material	Lamp Material	Fixing	Watt	On / Off Switch
CA 6078	12-24v	10	60	Acrylic	Aluminium	S/Steel Fixings	1.4	✓
CA 6077	12-24v	30	120	Acrylic	Aluminium	S/Steel Fixings	1.4	✓
CA 6075	12-28v	6	600	Acrylic	Aluminium	S/Steel Fixings	6	✓


LED LEAD LIGHTS

SMD

NEW

COMPACT RECHARGEABLE LEADLAMP

EP 068




LED

NEW

LED RECHARGEABLE LEADLAMP & TORCH

EP 069



Product	Rechargeable	Magnets	Flash Lamp	Lumens	LED	Lens Material	Body Material	Charger	Working Hour
EP 068	✓	1	✓	500	SMD	Polycarbonate	ABS	Mains /Car/USB	3-5 hrs
EP 069	✓	2	✓	300	SMD	Polycarbonate	ABS	Mains /Car/USB	3-5 hrs

SMD


NEW

WORKSHOP LED FLOOD LAMP

EP 6715

With Built-in Speaker

Bluetooth / Compatible with smartphone



LED

NEW

WORKSHOP LED FLOOD LAMP

EP 6716

750 Lumens

WORKSHOP LED FLOOD LAMP



EP 6718

1500 Lumens



EP 6717

Add-on Magnets



Product	Rechargeable	IP Rating	Speaker	Lumens	LED	Lens Material	Body Material	Charger	Working Hour
EP 6715	✓	IP54	✓	2300	COB	Polycarbonate	ABS	AC / DC / USB	5-10
EP 6716	✓	IP54	-	750	SMD	Polycarbonate	Aluminium	AC / DC / USB	3.5
EP 6718	✓	IP54	-	1500	SMD	Polycarbonate	Aluminium	AC / DC / USB	4.5
EP 6717	Add On Magnets Suitable for EP 6716 & EP 6718								



Contents

Reversing Aids

No Audio Reversing Camera Kit.....	76
Audio Reversing Camera Kit.....	77
Wireless Reversing Camera Kit	78
Monitors.....	79
Back Up Alarm	80
Warning Buzzer	80
Electric Horn	80

Mirrors

Flat Mirror Head.....	81
Convex Mirror Head	81-82
Blind Spot Mirror Head	82
Blind Spot Convex Mirror Head	82
Replacement Glass.....	81-82

247 Safety

REVERSING CAMERA KITS

KITS

7" REVERSING CAMERA KIT

CA 9762

2 Channel Input

On Screen Display Menu Function

Separately Set Each Camera Function



CA 9763
Monitor for CA 9762



CA 9764
Camera for CA 9762



CA 9756
20m Extension Cable

Product	Voltage	Power	IP Rated	Display	Nightvision	Format	Operating Temperature	Brightness	Sun Visor
CA 9762	11 - 32V	-	IP69 (Camera)	800 RGB (H) x 480 (V) Dot	✓	PAL/NTSC Auto	-20°C ~ 70°C	(cd/m2):400	✓
CA 9763	11 - 32V	Cable built in	-	800 RGB (H) x 480 (V) Dot	-	PAL/NTSC Auto	-20°C ~ 70°C	(cd/m2):400	✓
CA 9764	-	4 Pin Connect	IP69	-	15 Metres	-	-20°C ~ 70°C	-	✓
CA 9756	20m Extension Cable						-20°C ~ 70°C		
CA 9689	Universal Stand for Colour Monitor / Fan Type								
CA 9757	Suzie Cable Kit For CA 9750 / CA 9762								

KITS

7" REVERSING CAMERA KIT

CA 9750

2 Channel Input

On Screen Display Menu Function

Separately Set Each Camera Function

WITH
AUDIO

TAKES 2
CAMERAS



CA 9753
Monitor for CA 9750



CA 9754
Camera for CA 9750



CA 9756
20m Extension Cable

Product	Voltage	Power	IP Rated	Display	Nightvision	Viewing Angle	Format	Operating Temperature	Brightness	Sun Visor
CA 9750	8 - 32V	-	IP69 (Camera)	800 RGB (H) x 480 (V) Dot	✓ (Camera - 15m)	120°	PAL/NTSC Auto	-20°C ~ 70°C	(cd/m2):400	✓
CA 9753	8 - 32V	9 Pin Connect	-	800 RGB (H) x 480 (V) Dot	-	-	PAL/NTSC Auto	-20°C ~ 70°C	(cd/m2):400	✓
CA 9754	-	4 Pin Connect	IP69	-	15 Metres	120°	-	-20°C ~ 70°C	-	✓
CA 9756	20 Metre Extension Cable							-20°C ~ 70°C		
CA 9689	Universal Stand for Colour Monitor / Fan Type									
CA 9757	Suzie Cable Kit For CA 9750 / CA 9762									

REVERSING CAMERA KITS

KITS

WIRELESS REVERSING CAMERA KIT

CA 9812

Up to 2 Channels

Receiving Sensitivity: 89dB

Image Type: 1/4" Colour CMOS

Free Viewing Angle: 120°

Rated to IP69

Shock Proof: 10G

Split Screen Enabled

Digital Wireless Monitor

Removable Visor



Product	Voltage	Power	IP Rated	Operating Frequency	Operating Distance	Display	Night Vision	Viewing Angle	Format	Operating Temperature	Brightness	Sun Visor
CA 9812	10 - 32V	-	IP69	2400~2483.5 MHZ	100m	800 (H) x 480 (V) Dot	✓	120°	PAL / NTSC	-20°C ~ 70°C	(cd/m2):400	✓
CA 9813	10 - 32V	Power Connector Plug	-	2400~2483.5 MHZ	100m	800 (H) x 480 (V) Dot	-	-	PAL / NTSC	-20°C ~ 70°C	(cd/m2):400	-
CA 9814	-	2 Pin Connector	IP69	2400~2483.5 MHZ	100m	-	✓	120°	-	-20°C ~ 70°C	-	✓

MONITOR

5" COLOUR MONITOR

CA 9758

WITH
AUDIO

TAKES 2/4
CAMERAS



7" QUAD MONITOR

CA 9765

Compatible with CA 9754 (Audio)

Compatible with CA 9764 (No Audio)

MONITOR

7" QUAD MONITOR - DVR

CA 9766

Compatible with CA 9754 (Audio)

Compatible with CA 9764 (No Audio)

WITH
AUDIO

TAKES 4
CAMERAS

DVR



MONITOR

7" QUAD MONITOR TOUCH SCREEN

CA 9767

Compatible with CA 9754 (Audio)

Compatible with CA 9764 (No Audio)

NO
AUDIO

TAKES 4
CAMERAS

TOUCH
SCREEN



Product	Voltage	Power	Display	Camera Input	Screen Display Options	Quad Screen	DVR	Operating Temperature	Sun Visor
CA 9758	8 - 32V	9 Pin Connect	800 RGB (H) x 480 (V) Dot	2	1	-	-	-20°C ~ 70°C	✓
CA 9765	11 - 32V	24+1DVI 25 Pin Connect	2400 RGB (H) x 480 (V) Dot	4	5	✓	-	-20°C ~ 70°C	✓
CA 9766	11 - 32V	24 + 1 DVI 25 Pin Connect	2400 RGB (H) x 480 (V) Dot	4	5	✓	✓	-20°C ~ 70°C	✓
CA 9767	11 - 32V	13 Pin Connect	2400 RGB (H) x 480 (V) Dot	4	5	✓	-	-20°C ~ 70°C	✓

WARNING DEVICES

AIDS

STEAM CLEANABLE BACK UP ALARM

EP 8151

12 - 110 Volts

Sound Level: 107dB

EMC compliant

CE Certified

Fully Weatherproof / Pressure Washable

Reverse Polarity Protected

Epoxy Encapsulated Housing

-30°C to 77°C Extreme Temperature Reliability



AIDS

WARNING BUZZERS*

BLEP 780

Low Pressure

12 Volts

Black



BLEP 780

Low Pressure

24 Volts

Red



AIDS

ELECTRIC HORN*

BLEP 817

12 Volts

BLEP 816

12 Volts



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

FLAT MIRROR HEAD**CA 200R****CA 200GR**

Replacement Glass for CA 200R

**FLAT MIRROR HEAD****CA 202R****CA 202GR**

Replacement Glass for CA 202R

**FLAT MIRROR HEAD****CA 262R****CA 262GR**

Replacement Glass for CA 262R

**CONVEX MIRROR HEAD****CA 206R****CONVEX MIRROR HEAD****CA 228R****CA 228GR**

Replacement Glass for CA 228R



Code	Type	ECE	Length	Width	Arm	Vehicle	Universal No.
CA 200R	Flat	Reg 46	180mm	125mm	Fits: 8mm	Tractor	M200F
CA 202R	Flat	Reg 46	232mm	145mm	Fits: 15, 18mm	Tractor	M500FE
CA 262R	Convex	Reg 46	240mm	160mm	Fits: 10-24mm	Universal	-
CA 206R	Convex	Reg 46	375mm	183mm	Fits: 15-28mm	Tractor	-
CA 228R	Convex	Reg 46	260mm	160mm	Fits: 15-28mm	Universal	-

MIRRORS

CONVEX MIRROR HEAD

CA 260R

CA 260GR

Replacement Glass for CA 260R



CONVEX MIRROR HEAD

CA 205R


CA 205GR

Replacement Glass for CA 205R



CONVEX MIRROR HEAD

CA 2912R



BLIND SPOT MIRROR HEAD

CA 2920R



BLIND SPOT CONVEX MIRROR HEAD

CA 295R

CA 295GR

Replacement Glass for CA 295R



Code	Type	ECE	Length	Width	Arm	Vehicle	Universal No.
CA 260R	Convex	Reg 46	377mm	189mm	Fits: 15-28mm	Universal	-
CA 205R	Convex	Reg 46	325mm	175mm	Fits: 18mm	Tractor	-
CA 2912R	Convex	Reg 46	236mm	180mm	Fits: 16-20mm	Universal	-
CA 2920R	Blind Spot	Reg 46	255mm	150mm	Fits: 15-28mm	Universal	-
CA 295R	Blind Spot	Reg 46	190mm	189mm	Fits: 6,8mm	Universal	-





Contents

Electrical Components

Plugs & Sockets	86-89	Fuse Holders	98
Automotive Cable	90-91	Booster Cable	99
Starter Cable	91	Battery Connectors	100-101
Cable Accessories / Cable Ties	92-93	Electrical Switches	102-107
Wiring Accessories	94-95	Warning Lights	107
Fuses	96-97		

247 Electrical

PLUGS & SOCKETS

TRAILER TESTER CONNECTOR

BLCA 9506*



2 POLE CONNECTOR

BLCA 300*

175 AMP



3 PIN MALE PLASTIC PLUG

EP 600C



3 PIN FEMALE PLASTIC SOCKET

EP 601C



SINGLE POLE PLUG / SOCKET

EP 750-1

Single pole plug

Single pole socket with cover



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

7 PIN PLUG (Aluminium)

CA 310

7 PIN PLUG (Plastic)

CA 310P



7 PIN SOCKET (Aluminium)

CA 311

7 PIN SOCKET (Plastic)

CA 311P

CA 312

Rubber Gasket For CA 311 Socket



13 PIN SOCKET WITH FOG PIN

CA 300P



3 PIN PLUG

CA 331P



7 PIN PRE-WIRE PLASTIC SOCKET KIT

CA 318



PLUGS & SOCKETS

13 - 7 PLASTIC ADAPTOR

CA 332 P

13 Pin Plug to 7 Pin Socket



7 - 13 PLASTIC ADAPTOR

CA 333P


7 Pin Plug to 13 Pin Socket



7 PIN COMMERCIAL PLUG

BLCA 315*

(N Type) 24 Bolt




'N-Type' : 7F (One Large)



7 PIN COMMERCIAL SOCKET

BLCA 316*

(N Type) 24 Bolt



'N-Type' : 7M (One Large)



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

ELECTRICAL SUZIE EXTENSION (c/w 2 x 12v 7 Pin Plug)

BLCA 400*

3 Meter / 12v



ELECTRICAL SUZIE EXTENSION (c/w N-Type 12v 7 Pin Plug & Socket)

BLCA 416*

3 Meter / 12v



ELECTRICAL SUZIE EXTENSION (c/w 2 x 12v 7 Pin Sockets)


BLCA 405*

3 Meter / 24v



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

AUTO CABLE SUPPLIED IN REELS



Product	Core	Strand	Wire	Colour	Cover	Coil Length
EP 610	Single	14 Strand	0.3mm	Black	PVC	50 Meters
EP 610R	Single	14 Strand	0.3mm	Red	PVC	50 Meters
EP 611	Single	28 Strand	0.3mm	Black	PVC	50 Meters
EP 611R	Single	28 Strand	0.3mm	Red	PVC	50 Meters
EP 612	Single	44 Strand	0.3mm	Black	PVC	30 Meters
EP 612R	Single	44 Strand	0.3mm	Red	PVC	30 Meters
EP 612BR	Single	44 Strand	0.3mm	Brown	PVC	30 Meters
EP 613	Single	65 Strand	0.3mm	Black	PVC	30 Meters
EP 613R	Single	65 Strand	0.3mm	Red	PVC	30 Meters
EP 613BR	Single	65 Strand	0.3mm	Brown	PVC	30 Meters
EP 614	2 Core	14 Strand	0.3mm	Black	PVC	30 Meters
EP 615	2 Core	28 Strand	0.3mm	Black	PVC	30 Meters
EP 616	3 Core	14 Strand	0.3mm	Black	PVC	30 Meters
EP 617	5 Core	14 Strand	0.3mm	Black	PVC	30 Meters
EP 618	7 Core	7 X 9 Strand	0.3mm	Black	PVC	30 Meters
EP 6181	7 Core	(6 X 14) & (1 X 28) Strand	0.3mm	Black	PVC	30 Meters
EP 618 100M	7 Core	7 X 9 Strand	0.3mm	Black	PVC	100 Meters
EP 623.10	8 Core	(7 X 14) & (1x28) Strand	0.3mm	Black	PVC	10 Meters
EP 625.10	13 Core	(12 X 21) & (1x35) Strand	0.3mm	Black	PVC	10 Meters

AUTO CABLE SUPPLIED IN RETAIL PACKS



Product	Core	Strand	Wire	Colour	Cover	Coil Length
EP 610.10	Single	14 Strand	0.3mm	Black	PVC	10 Meters
EP 611.10	Single	28 Strand	0.3mm	Black	PVC	10 Meters
EP 612.10	Single	44 Strand	0.3mm	Black	PVC	10 Meters
EP 613.10	Single	65 Strand	0.3mm	Black	PVC	10 Meters
EP 614.10	2 Core	14 Strand	0.3mm	Black	PVC	10 Meters
EP 615.10	2 Core	28 Strand	0.3mm	Black	PVC	10 Meters
EP 616.10	3 Core	14 Strand	0.3mm	Black	PVC	10 Meters
EP 617.10	5 Core	14 Strand	0.3mm	Black	PVC	10 Meters
EP 617.05	5 Core	14 Strand	0.3mm	Black	PVC	5 Meters
EP 618.10	7 Core	7 X 9 Strand	0.3mm	Black	PVC	10 Meters
EP 618.05	7 Core	7 X 9 Strand	0.3mm	Black	PVC	5 Meters

STARTER CABLE SUPPLIED IN REELS



Code	Cross Section mm ²	Strand	Wire	Colour	Cover	Coil Length
EP 619	25	196 Strand	0.39	Black	PVC	10 Meters
EP 619R	25	196 Strand	0.39	Red	PVC	10 Meters
EP 621	40	315 Strand	0.4	Black	PVC	10 Meters
EP 621R	40	315 Strand	0.4	Red	PVC	10 Meters
EP 620	60	474 Strand	0.39	Black	PVC	10 Meters
EP 620R	60	474 Strand	0.39	Red	PVC	10 Meters

CABLE ACCESSORIES / INSULATION TAPE

CABLE TIES (Blistered & Barcoded)

Product	Colour	Width	Length	Qty. in Pack
EP 220C	Black	2.5mm	100mm	100
EP 222C	Black	2.5mm	160mm	100
EP 223C	Black	3.6mm	200mm	100
EP 224C	Black	4.8mm	200mm	100
EP 226C	Black	4.8mm	280mm	100
EP 228C	Black	4.8mm	380mm	100
EP 219C	Black	7.6mm	200mm	100
EP 227C	Black	7.6mm	300mm	100
EP 229C	Black	7.6mm	380mm	100
EP 240C	Black	8.8mm	450mm	100
EP 241C	Black	8.8mm	550mm	100
EP 242C	Black	8.8mm	750mm	100
EP 230C	Black	12.4mm	650mm	100
EP 223WC	White	3.6mm	200mm	100
EP 224WC	White	4.8mm	200mm	100
EP 226WC	White	4.8mm	280mm	100
EP 228WC	White	4.8mm	380mm	100
EP 229WC	White	7.6mm	380mm	100
EP 242WC	White	8.8mm	750mm	100
EP 237C	Silver	4.8mm	300mm	100
EP 238C	Silver	4.8mm	380mm	100



ADHESIVE CABLE TIE BASE

BLEP 235

Qty: 25 / 4. & *28*28mm

EP 235

Qty: 100 / 4. & *28*28mm




PVC INSULATION TAPE

BLEP 410*

Qty: 2 / Blistered / 20 Metre Roll / 19mm Wide

EP 410

Qty: 100 / 20 Metre Roll / 19mm Wide



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

NYLON CONDUIT

Product	Type	Inside Diameter	Outside Diameter	Coil Length
EP 146	Split	6.9mm	10mm	25m
EP 147	Split	10.1mm	13mm	25m
EP 148	Split	11.8mm	16mm	25m
EP 149	Split	14.5mm	18.5mm	25m
EP 1495	Split	16.9mm	21.2mm	25m
EP 152	Split	20.1mm	24.5mm	25m
EP 1525	Split	23.5mm	28.3mm	25m
EP 180	Unsplit	6.9mm	10mm	25m
EP 181	Unsplit	10.1mm	13mm	25m
EP 182	Unsplit	11.8mm	16mm	25m
EP 183	Unsplit	14.5mm	18.5mm	25m
EP 184	Unsplit	16.9mm	21.2mm	25m
EP 185	Unsplit	20.1mm	24.5mm	25m
EP 186	Unsplit	23.5mm	28.3mm	25m



Product	Colour	Diameter	Coil Length
EP 114	Black	4.8mm	75m
EP 114R	Red	4.8mm	75m
EP 115	Black	6.4mm	75m
EP 115R	Red	6.4mm	75m
EP 116	Black	9.5mm	75m
EP 116R	Red	9.5mm	75m
AP 250	Black/Red	4.8 - 9.5mm	150m



HEAT SHRINK SUPPLIED IN ASSORTED BOX

AP 250



WIRING ACCESSORIES

RED

RED WIRING TERMINAL

Red Term Speaker

EP 339

4.8mm | Qty: 100



Red Term F/ins Spade

EP 341

4.8mm | Qty: 100



Red Term Spade

EP 340

6.3mm | Qty: 100



Red Term F/ins Spade

EP 344

6.3mm | Qty: 100



Red Term Male Blade

EP 343

6.3mm | Qty: 100



Red Term Piggyback

EP 345

6.3mm | Qty: 100



Red Red Term Butt

EP 342


4mm | Qty: 100



Red Term Bullet

EP 346

5mm | Qty: 100



Red Term Socket

EP 347

4mm | Qty: 100



Red Red Ring

EP 352

4.8mm | Qty: 100



Red Term Bullet

EP 353

6.3mm | Qty: 100



BLUE

BLUE WIRING TERMINAL

Blue Term Spade small

EP 299

4.8mm | Qty: 100



Blue Term Spade

EP 300


6.3mm | Qty: 100



Blue Term F/ins Spade

EP 301

6.3mm | Qty: 100



Blue Term Piggyback

EP 302

6.3mm | Qty: 100



Blue Term Male Blade

EP 303

6.3mm | Qty: 100



Blue Term Bullet

EP 304

5mm | Qty: 100



Blue Term Socket

EP305

5mm | Qty: 100



Blue Term Butt

EP 307

5mm | Qty: 100



Blue Term Fork

EP 308

5.3mm | Qty: 100



Blue Term Ring

EP 319

5.3mm | Qty: 100



Blue Term Ring

EP 320

6.4mm | Qty: 100



Blue Term Ring

EP 321

8.4mm | Qty: 100



Blue Term Ring

EP 322

10.5mm | Qty: 100



Blue Term Ring

EP 323

13mm | Qty: 100




YELLOW

YELLOW WIRING TERMINAL

Yellow Term Spade

EP 324

6.3 mm | Qty: 100



Yellow Term F/ins Spade

EP 325


6.3 mm | Qty: 100



Yellow Term Dynamo

EP 326


9.5 mm | Qty: 100



Yellow Term Spade

EP 334


F/ins Dynamo
9.5 mm | Qty: 100



Yellow Term Male Blade

EP 327

6.3 mm | Qty: 100



Yellow Term Piggyback

EP 336


6.3 mm | Qty: 100



Yellow Term Butt

EP 328


6mm | Qty: 100



Yellow Term Bullet

EP 337


5.0 mm | Qty: 100



Yellow Term Socket

EP 338


5.0 mm | Qty: 100



Yellow Term Ring

EP 329

6.3 mm | Qty: 100



Yellow Term Ring

EP 330

8.4 mm | Qty: 100



Yellow Term Ring

EP 331

10.5 mm | Qty: 100



Yellow Term Ring

EP 332

13 mm | Qty: 100



HANDY PACKS AND RETAIL PACKS ALSO AVAILABLE

STRIP CONNECTORS

Code	Description	Amp	Unit
BLEP 380	Strip Connectors	5 Amp	2
BLEP 381	Strip connectors	15 Amp	2
BLEP 382	Strip Connector	30 Amp	1



HEATSHRINK WIRE JOINERS

Handy Pack Available


Code	Description	Amp	Colour	Unit
EP 100	Insulated Wire Joiner	Small	Red	100
EP 101	Insulated Wire Joiner	Medium	Blue	100
EP 102	Insulated Wire Joiner	Large	Yellow	100



SOLDERED HEATSHRINK WIRE JOINERS

Handy Pack Available

Code	Description	Amp	Colour	Unit
EP 110	Heatshrink	0.1~0.5mm ²	Clear	10
EP 111	Heatshrink	0.5~1.5mm ²	Red	25
EP 112	Heatshrink	1.5~2.5mm ²	Blue	25
EP 113	Heatshrink	3.2~6.0mm ²	Yellow	10



SCOTCHLOKS

EP 360

Qty: 100


Handy Pack Available



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

STANDARD BLADE FUSES


Handy Pack Available



Code	Description	Current	Colour	Unit
EP 019	Standard Blade Fuse	2 Amp	Gray	50
EP 020	Standard Blade Fuse	3 Amp	Violet	50
EP 021	Standard Blade Fuse	4 Amp	Pink	50
EP 022	Standard Blade Fuse	5 Amp	Tan	100
EP 023	Standard Blade Fuse	7.5 Amp	Brown	100
EP 024	Standard Blade Fuse	10 Amp	Red	100
EP 025	Standard Blade Fuse	15 Amp	Blue	100
EP 026	Standard Blade Fuse	20 Amp	Yellow	100
EP 027	Standard Blade Fuse	25 Amp	Clear	100
EP 028	Standard Blade Fuse	30 Amp	Green	100

MINI BLADE FUSES


Handy Pack Available



Code	Description	Current	Colour	Unit
EP 019 MINI	Mini Blade Fuse	2 Amp	Gray	50
EP 020 MINI	Mini Blade Fuse	3 Amp	Violet	50
EP 021 MINI	Mini Blade Fuse	4 Amp	Pink	50
EP 022 MINI	Mini Blade Fuse	5 Amp	Tan	100
EP 023 MINI	Mini Blade Fuse	7.5 Amp	Brown	100
EP 024 MINI	Mini Blade Fuse	10 Amp	Red	100
EP 025 MINI	Mini Blade Fuse	15 Amp	Blue	100
EP 026 MINI	Mini Blade Fuse	20 Amp	Yellow	100
EP 027 MINI	Mini Blade Fuse	25 Amp	Clear	100
EP 028 MINI	Mini Blade Fuse	30 Amp	Green	100

MAXI BLADE FUSES

Handy Pack Available



Code	Description	Current	Colour	Unit
EP 026 Maxi	Maxi Blade Fuse	20 Amp	Yellow	10
EP 028 Maxi	Maxi Blade Fuse	30 Amp	Green	10
EP 029 Maxi	Maxi Blade Fuse	40 Amp	Orange	10
EP 030 Maxi	Maxi Blade Fuse	50 Amp	Red	10
EP 031 Maxi	Maxi Blade Fuse	60 Amp	Blue	10
EP 032 Maxi	Maxi Blade Fuse	70 Amp	Amber/Tan	10
EP 033 Maxi	Maxi Blade Fuse	80 Amp	Clear	10
EP 034 Maxi	Maxi Blade Fuse	100 Amp	Violet	10

ASSORTED STANDARD BLADE FUSES

AP 235

180 Pieces



ASSORTED MINI BLADE FUSES

AP 237


105 Pieces



ASSORTED STANDARD BLADE FUSES

AP 233


10 Pieces



ASSORTED MINI BLADE FUSES

AP 234

10 Pieces



BOLT ON FUSES

Handy Pack Available



Code	Description	Current	Unit
EP 420	Bolt On Fuse	40 Amp	1
EP 422	Bolt On Fuse	60 Amp	1
EP 424	Bolt On Fuse	80 Amp	1
EP 426	Bolt On Fuse	100 Amp	1
EP 428	Bolt On Fuse	125 Amp	1
EP 430	Bolt On Fuse	150 Amp	1
EP 432	Bolt On Fuse	175 Amp	1
EP 434	Bolt On Fuse	200 Amp	1
EP 436	Bolt On Fuse	225 Amp	1
EP 438	Bolt On Fuse	250 Amp	1

FUSE HOLDER

IN-LINE BLADES FUSE HOLDER

BLEP 039*

Qty: 2



MAXI BLADE FUSE HOLDER

BLEP 039 MAXI*



STANDARD BLADE FUSE BOX*




Code	Description	Function	Unit
BLEP 785	Blade Fuse Box	4 Way	1
BLEP 786	Blade Fuse Box	6 Amp	1

SPLASH PROOF BLADE FUSE HOLDER

BLEP 042*

Qty: 2



MEGA BLADE FUSE HOLDER

BLEP 044*



8 WAY JUNCTION BOX

BLEP 773*



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the “BL” prefix

BOOSTER CABLES



Product	Weight	Metres	Diameter	AMP
EP 059	Light Duty	3 metres	16mm	400 Amp
EP 061	Medium Duty	3.5 metres	25mm	500 Amp
EP 060	Heavy Duty	3.5 metres	35mm	600 Amp
EP 062	Extra Heavy Duty	4.5 metres	50mm	800 Amp

BOOSTER CABLE GRIPS (LIGHT DUTY)

BLEP 060B

BLEP 060R

BOOSTER CABLE GRIPS (HEAVY DUTY)

BLEP 063B

BLEP 063R



(Light Duty)



(Heavy Duty)

Product	Weight	Grip	Colour
BLEP 060B	Light Duty	✓	Black
BLEP 060R	Light Duty	✓	Red
BLEP 063B	Heavy Duty	✓	Black
BLEP 063R	Heavy Duty	✓	Red


*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the “BL” prefix

BATTERY CONNECTORS

BATTERY LEADS & EARTH STRAPS

Extra Heavy Duty

Product	Description	Size
EP 820	Battery to Battery	12 inch
EP 821	Battery to Battery	18 inch
EP 830	Starter to Switch	12 inch
EP 831	Starter to Switch	18 inch
EP 832	Starter to Switch	24 inch
EP 840	Earth Strap	9 inch
EP 841	Earth Strap	12 inch
EP 843	Earth Strap	16 inch
EP 844	Earth Strap	24 inch
EP 850	Earth Strap & Insulated	12 inch
EP 851	Earth Strap & Insulated	18 inch
EP 852	Earth Strap & Insulated	24 inch



CABLE LUGS

Handy Pack Available

Code	Size	Cable	Uni
BLEP 200*	8mm Hole	35mm Sq Cable	2
EP 200*	8mm Hole	35mm Sq Cable	10
BLEP 201*	10mm Hole	35mm Sq Cable	2
EP 201*	10mm Hole	35mm Sq Cable	10
BLEP 202*	12mm Hole	35mm Sq Cable	2
EP 202*	12mm Hole	35mm Sq Cable	10
BLEP 203*	8mm Hole	50mm Sq Cable	2
EP 203*	8mm Hole	50mm Sq Cable	10
BLEP 204*	10mm Hole	50mm Sq Cable	2
EP 204*	10mm Hole	50mm Sq Cable	10
BLEP 205*	10mm Hole	70mm Sq Cable	2
EP 205*	10mm Hole	70mm Sq Cable	10
EP 209	12mm Hole	50mm Sq Cable	10
EP 206	12mm Hole	70mm Sq Cable	10
EP 207	12mm Hole	95mm Sq Cable	10
BLEP 210	8-12mm Hole	35-70mm Sq Cable	12
EP 208	14mm Hole	120mm Sq Cable	10



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

BATTERY TERMINALS

Handy Pack Available

Code	Type	C.Hole	Pole	Unit
EP 164	Car	9mm	Positive	10
EP 163	Car	9mm	Negative	10
BLEP 153-4	Tractor	12mm	Positive/Negative	2
EP 153	Tractor	12mm	Positive	10
EP 154	Tractor	12mm	Negative	10
EP 157	Truck	14mm	Positive	10
EP 158	Truck	14mm	Negative	10
EP 167	Lug	8mm	Positive	10
EP 168	Lug	8mm	Negative	10
BLEP 165-6	Lug	10mm	Positive/Negative	2
EP 165	Lug	10mm	Positive	10
EP 166	Lug	10mm	Negative	10



Car



Tractor



Truck



Lug

BRASS BATTERY CUT OFF TERMINAL


BLEP 155*



Product	Description	Features	Amps	Finish
BLEP 155	Heavy Duty	Power Disconnect Easy Installation	500 Peak 125 Continuous	Brass Plated

BATTERY HOLDING BRACKET

EP 145



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

ELECTRICAL SWITCHES

ISOLATOR SWITCH

BLEP 740*

BLEP 719*

BLEP 742*



(BLEP 740*)



(BLEP 719*)



(BLEP 742*)

FIXED HANDLE ISOLATOR SWITCH

BLEP 744*



Product	Description	Amp	Fitting	LED	Functions	Splashproof
BLEP 740	Isolator / Light duty	100	-	-	Fixed Handle	✓ (Cover)
BLEP 735*	Replacement Key for BLEP740	-	-	-	-	-
BLEP 719	Isolator / Light Duty	100	29mm	-	Fixed Handle	✓
BLEP 742	Isolator /Heavy Duty	250	-	-	Fixed Handle	✓ (Cover)
BLEP 742K*	Replacement Key for BLEP742	-	-	-	-	-
BLEP 744	Cut Off	250	30mm	-	Fixed Handle	✓

*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the “BL” prefix

IGNITION SWITCH**BLEP 711***

Off / Ignit / Pre-Heat / Start

**PUSH PULL SWITCH****BLEP 705*****PUSH BUTTON SWITCH****BLEP 723***

Handy Pack Available

**PUSH BUTTON SWITCH****BLEP 725***

Splashproof



Product	Description	Amp	Fitting	LED	Functions	Splashproof
BLEP 711	Ignition / Not Insulated	-	16mm Hole	-	4 Position Switch	-
BLEP 705	Push Pull	16 Amp	7.5mm hole	-	On/Off	-
BLEP 723	Push Button	16 Amp	21mm Hole	-	Momentary On	-
BLEP 725	Push Button	-	19mm Hole	-	Momentary On	✓
BLEP 714	Spare key to suit BLEP 711 / EP 711					

*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

ELECTRICAL SWITCHES


ILLUMINATED PUSH PULL SWITCH

BLEP 708R*



SPRING LOADED SWITCH


BLEP 702*



2 WAY SWITCH

BLEP 701*


Handy Pack Available



2 WAY SWITCH

BLEP 706*


Handy Pack Available



3 WAY SWITCH

BLEP 709Q*

Handy Pack Available



Product	Description	Amp	Fitting	LED	Functions	Splashproof
BLEP 708R	Push/Pull	-	-	Red	On/Off	-
BLEP 702	2 Way Switch	25	12.5mm	-	Biased Off	-
BLEP 701	2 Way Switch	25Amp	12.5mm	-	On/Off	-
BLEP 706	2 Way Switch	25 Amp	12.5mm	Amber	On/Off	-
BLEP 709Q	3 Way Switch	20 Amp	12.5mm	-	On/Off/On	✓
BLEP 701C	Cover For BLEP 701 & BLEP 709Q					

*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

ROCKER SWITCHES

BLEP 752*



ROCKER SWITCHES

BLEP 761*



MINI ROCKER SWITCHES

BLEP 765*



Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 752	Rocker Switch	On/Off	16	12V	12 x 30mm	2 Male Pins	-
BLEP 761	Rocker Switch	On/Off	16	12V	20 x 34.5 mm	2 Double Pins	-
BLEP 765	Mini Rocker Switch	On/Off	16	12V	13 x 18.5mm	4 Pins	-

LED MINI ROCKER SWITCH

Handy Pack Available



Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 766	Mini Rocker Switch	On/Off	10	12V	20mm	3 Pin	Amber
BLEP 767	Mini Rocker Switch	On/Off	10	12V	20mm	3 Pin	Blue
BLEP 768	Mini Rocker Switch	On/Off	10	12V	20mm	3 Pin	Green
BLEP 769	Mini Rocker Switch	On/Off	10	12V	20mm	3 Pin	Red

*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

ELECTRICAL SWITCHES


LED ROCKER SWITCHES*

Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 762	LED Rocker Switch	On/Off	20	12V	20 x 34.5	2 Double Pins	Amber
BLEP 763	LED Rocker Switch	On/Off	20	12V	20 x 34.5	2 Double Pins	Green
BLEP 764	LED Rocker Switch	On/Off	20	12V	20 x 34.5	2 Double Pins	Red




ILLUMINATED ROCKER SWITCHES*

Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 753	Illuminated Rocker Switch	On/Off	20	12V	12 x 30mm	3 Pin	Amber
BLEP 754	Illuminated Rocker Switch	On/Off	20	12V	12 x 30mm	3 Pin	Blue
BLEP 755	Illuminated Rocker Switch	On/Off	20	12V	12 x 30mm	3 Pin	Green
BLEP 756	Illuminated Rocker Switch	On/Off	20	12V	12 x 30mm	3 Pin	Red



ILLUMINATED ROCKER SWITCHES*

Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 757	Illuminated Rocker Switch	On/Off	20	12V	12.5 mm	3 Pin	Amber
BLEP 758	Illuminated Rocker Switch	On/Off	20	12V	12.5 mm	3 Pin	Blue
BLEP 759	Illuminated Rocker Switch	On/Off	20	12V	12.5 mm	3 Pin	Green
BLEP 760	Illuminated Rocker Switch	On/Off	20	12V	12.5 mm	3 Pin	Red



*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix

HEAD LAMP SWITCHES*



(BLEP 730)



(BLEP 733)

Product	Description	Amp	Fitting	LED	Functions	Splashproof
BLEP 730	Horn/ Head Light	-	Suit: Massey / David Brown	-	3 Position Switch	-
BLEP 733	Head Light	-	Suit: Ford	-	On	-

WARNING LIGHT

BLEP 804*

Handy Pack Available



WARNING LIGHT


Handy Pack Available

Code	Description	Position	Amp	Volts	Panel Fitting	Connection	Colour
BLEP 795	Warning Light	-	1	12V	12mm	2 Pins	Amber
BLEP 796*	Warning Light	-	1	12V	12mm	2 Pins	Red
BLEP 797	Warning Light	-	1	12V	12mm	2 Pins	Green
BLEP 798	Warning Light	-	1	12V	12mm	2 Pins	Blue
BLEP 804	Warning Light	-		18mm	17mm	2 Pins	Red



RELAYS

Handy Pack Available



Code	Description	Voltage	Current
BLEP REL15	4 Pin	12 v	35/40 Amp
BLEP REL7	5 Pin	12 v	20/30 Amp
BLEP REL8	5 Pin	24 v	10/20 Amp

*This item is Blister Packed and barcoded ready for resale. To purchase this item in bulk without packaging please use the same part number without the "BL" prefix



247 LIGHTING

WWW.247LIGHTING.NET

LED Side Marker Lamp
• ECE Approved | Reg 61
• Rated IP67
• 12V

LED Side Marker Lamp
• ECE Approved | Reg 61
• Rated IP67
• 12V

LED Side Marker Lamp
• ECE Approved | Reg 61
• Rated IP67
• 12V

LED Side Marker Lamp
• ECE Approved | Reg 61
• Rated IP67
• 12V

LED Side Marker Lamp
• ECE Approved | Reg 61
• Rated IP67
• 12V

LED Warning Light
• 120V
• 1.1Lm
• 100000 Hours
• Rated IP67
• 10 Different Patterns
• ECE Approved Reg 91 | Amber | Reg 91
• LEDx Pinned To 100,000 Hours Of Operation

LED Warning Light
• 120V
• 1.1Lm
• 100000 Hours
• Rated IP67
• 10 Different Patterns
• ECE Approved Reg 91 | Amber | Reg 91
• LEDx Pinned To 100,000 Hours Of Operation

LED Warning Lamp
• 120V
• 1.1Lm
• 100000 Hours
• Rated IP67
• 10 Different Patterns
• ECE Approved Reg 91 | Amber | Reg 91
• LEDx Pinned To 100,000 Hours Of Operation

LED Warning Lamp
• 120V
• 1.1Lm
• 100000 Hours
• Rated IP67
• 10 Different Patterns
• ECE Approved Reg 91 | Amber | Reg 91
• LEDx Pinned To 100,000 Hours Of Operation

MULTIFUNCTIONAL TAIL LAMP
• ECE Approved | Rated IP67 | High Performance LEDs

MULTIFUNCTIONAL TAIL LAMP
• ECE Reg 9 & Reg 7 | Rated IP67 | Performance LEDs

MULTIFUNCTIONAL TAIL LAMP
• ECE Approved | Waterproof: IP67 | High Performance LEDs

MULTIFUNCTIONAL TAIL LAMP
• ECE Approved | Waterproof: IP67 | High Performance LEDs

FIVE CORE AUTOMOTIVE CABLE
• 18 Gauge | 10 Meters

SEVEN CORE AUTOMOTIVE CABLE
• 18 Gauge | 10 Meters

RUBBER WORKLAMP
• 14 LEDx | Rated IP67 | Clear Red Lens | Rubber Housing

RUBBER WORKLAMP
• 14 LEDx | Rated IP67 | Clear Red Lens | Rubber Housing

RUBBER WORKLAMP
• 14 LEDx | Rated IP67 | Clear Red Lens | Rubber Housing



Distributed by

GROUP247

Distribution Services to the Automotive Aftermarket

www.group247.ie

Unit 4,
Lakelands Enterprise Centre,
Ballydangan, Athlone,
Co. Roscommon,
N37 H5Y0, Ireland.

IRELAND: 090 9673232

UK: 0121 6474857

INTL: ++353 90 9673232

sales@247lighting.net

www.247lighting.net



Distributed by

GROUP247

www.group247.ie