

"Get your **boost**"



"WE ARE DELIGHTED TO INTRODUCE ABSAAR TO OUR LOYAL CUSTOMER BASE"



Gerrit Polhoud
General Manager

"Absaar has a long history in producing best in class products for the automotive aftermarket"

Group247 are a leading brand distributor to the Automotive, Agricultural and Commercial Vehicle Market. An Irish based company, we distribute to our rapidly expanding customer base throughout Ireland, the UK and Europe. Our regulated and reputable brands are both extensive and diverse, developed to meet industry demands.

With over 30 years' experience of successfully distributing to the Aftermarkets, **Group247** are delighted to introduce **ABSAAR** to our loyal customer base. A German brand, **ABSAAR** are the market leaders in Battery Chargers, with product to suit a variety of needs. We hope that this catalogue captures the best that the **ABSAAR** and **Group247** partnership has to offer.

To order, simply contact your **Group247** representative or
Call Sales at (+353) (0) 9096 73232.



Group247



MINI JUMPSTARTERS

SMALL, SLIM AND LIGHT!

THE WORLD'S SLIMMEST PORTABLE JUMP STARTER!

BENEFITS: For gasoline engine up to 2000 cm³ • Supports 12V vehicle jump start • Can charge any cell phones, tablets, handhelds etc. • Supports 3 lighting modes • Built-in multiple safety protection from overcharge and over-discharge.

Accessories: Jumper cable


SPECIFICATIONS	Battery capacity	Rated input voltage	Rated current	Max engine size
TL29135	6,000mAh	5V/2A Micro USB	150A	2000 cm ³ gasoline

78 mm



TL29135

→ Heavy duty clamps



BATTERYLESS JUMPSTARTER

START IN A FLASH!

NEW TECHNOLOGY IN CAPACITIVE STARTING

BENEFITS: Maintenance free, no need to recharge during storage! Work from -40°C up to 65°C. Ultra capacitor technology with quick recharge. Short-circuits and reverse polarity protection. Easy to use: 3 steps ① Connect ② Press ON & wait 100 seconds ③ Turn on engine. Rechargeable in 100 Seconds only! 2 additional modes: "Bypass" for a recent vehicle with deeply discharged battery and "Glow" for starting Diesel vehicles with cold pre-heating time.

TL29136

Output Voltage	12V
Starting Current	350 Amp
Working Temperature	-40°C ~ +65°C
Shelf Life	+10 Years
Minimum residual voltage	5%
Net weight	1.2kgs
Dimensions	20 x 12 x 5cm
Max. Diesel engine size	< 2.0 L (2000cc)
Max. Gasoline engine size	< 3.0 L (3000cc)



NEW! SMART CHARGERS

**BOOST
your
BATTERY**



→ **Designed for the needs of demanding users!**

6V/12V 12V/24V AGM GEL STANDARD


NEW ABSAR PRO SERIES

THE ONLY ONE ON THE MARKET WITH AN INTEGRATED LCD DISPLAY!

ABSAR PRO: The 11-stage microprocessor controlled charging process provides the best possible application and enables efficient battery charging • Improved protection of the battery: operating errors are prevented by protective mechanisms • Overloads, short circuits, overheating and reverse polarity are avoided and battery defects due to charging errors are excluded • **The ABSAR Pro 6.0 and Pro 8.0 range allow charging both 12 V and 24 V batteries with the same charger, providing optimal coverage of your fleet.**

Technical Specifications	TL29131	TL29132
	Battery Charger	Battery Charger
Voltage	6V / 12V	12V / 24V
Charging Steps	11	11
Max Amp output	4 Amp	6 Amp
Max Battery Capacity	95 Ah	120Ah
Maintenance Charge	140 Ah	180 Ah

Intuitive operation! With it's Pro Series, ABSAR offers the only premium devices with LCD Displays on the market, thus allowing an easy and intuitive usage. This makes the **ABSAR Pro Series** stand out from the crowd.



AUTOMATIC BATTERY CHARGERS - ABS

FULLY AUTOMATIC BATTERY CHARGER

BATTERIES REGULARLY CHARGED WITH **ABSAR CHARGER** SIGNIFICANTLY INCREASE THEIR LIFETIME


BENEFITS: Fully automatic • 4-stage charging • 3 charging modes + maintenance charge mode • Battery tester • Large LCD display • Protection against short-circuit • Spark Proof • Error Messages • **Charging batteries from 5Ah up to 120 Ah.**

**ABSAR
SMART
CHARGER**

**4
STEPS**



→ **Attractive packaging**



**ABSAR
TL29130**

GEL AGM STANDARD

**BIG LCD
screen**

STANDARD CHARGERS - Metal

ABSAAR
Original
CHARGER




6V/12V STANDARD

BENEFITS: Amperage ranging from 6 to 15 amperes and tension 6 to 12 volts
• Select either fast or standard charging • LED display • Solid metal housing.

Article number	Model	Amp	Volt	max AH					Ammeter	LED	Metal	Standard Lead Acid
TL29120	8 AMP 6/12V A/M	8	6/12V	5 - 80	✓	✓	✓	✓	✓		✓	✓
TL29121	8 AMP 12V N/E AmpM	8	12V	18 - 80		✓	✓	✓	✓		✓	✓
TL29122	11 AMP 12V N/E AmpM	11	12V	95		✓	✓	✓	✓		✓	✓

STANDARD CHARGERS - ABS

MORE CHOICE



BENEFITS: Fast charge • Compact design with carrying handle

ABSAAR
TL29124

ABS

GPS4

- **6V** : Bikes, classic cars,
- **12V** : for batteries between 5Ah and 40Ah and for small cars, lawnmowers or scooters

Technical Specifications	TL29124 GPS4
Screen	LED
Amperage	4A
Tension	6V / 12V
Charge Indicator	LED
Battery Capacity	5 - 40 Ah

PROFESSIONAL BATTERY CHARGERS

UP TO 320A PEAK AMP

JUMPSTARTS AND CHARGES ALL TYPES OF VEHICLES

ABSAAR
PRO
SERIES

METAL

ABSAAR
TL29127

ABSAAR
AB-SL30

Professional
Battery Charger
with

170A JUMP
START

12/24V

STANDARD

METAL

ABSAAR
TL29128

ABSAAR
AB-SLS60

Professional
Battery Charger
with

320A JUMP
START

12/24V

STANDARD

BENEFITS: Battery charger with carrying handle and wheels • Protection against overload, short-circuit, reverse polarity • Ammeter • Professional charging cable • Jump starter function • Charge voltage 12 or 24V • Charging cable with insulated clamps & handles • Storage compartment for cables and clamps • **Switch for fast or normal loading** • Battery charger requires manual disconnection after charging or automatic shutdown by timer (SLS60).

Technical Specifications	TL29127	TL29128
Load Power	30 Amp	60 Amp
Jump Start	170 Amp	320 Amp
Battery Capacity	80 - 450Ah	140 - 900 Ah
Dimensions	565 x 230 x 280mm	660 x 385 x 295mm
Weight	17.5 kg	28.4 kg
Fuse	80 Amp	80 Amp

AUTOMATIC / PROFESSIONAL BATTERY CHARGERS - Metal

PROFESSIONAL BATTERY CHARGER

ULTRA FAST CHARGING

ABSAAR
PRO
SERIES

ABSAAR
FOR ALL YOUR
BOOSTING NEEDS



METAL

SPEED

ABSAAR
TL29125

12V

STANDARD

ABSAAR
TL29126

12/24V

STANDARD

BENEFITS: Engine starter: 180/250 amps • Choose between fast and standard loading • Solid metal housing • Circuit breaker protection • Carrying handle.

Technical Specifications	TL29125	TL29126
Jump Start	180 Amp	250 Amp
Tension	12v	12 / 24v
Charge Indicator	Ammeter	Ammeter
Battery Capacity	30 - 225 Ah Normal: 30 - 160 Ah Fast: 50 - 225 Ah	30 - 350 Ah Normal: 30 - 160 Ah Fast: 50 - 350 Ah